




F I G. 1




F I G. 2




F I G. 3




F I G. 4




F | G. 5




F I G. 6



F I G. 7



F I G. 8



F I G. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15





FIG. 16



F I G. 17




FIG. 18





FIG. 19



F I G. 20

```
String transactionID = getTransactionID0;
Hashtable cacheTable = (Hashtable)cacheTableHash.get(transactionID);
$$Bean$$ bean = cacheTable.get(pk);
                                                                                                                                         $$Bean$$ findByPrimaryKey($$PrimaryKey$$ pk)
                                                                                                                                                                                                                                                                                                                                                                           bean = objPersistence.findBean(pk);
                                                                                      $$Bean$$Persistence objPersistence;
                                                                                                                                                                                                                                                                                                                    if (bean != null) return bean;
                                                                                                                                                                                                                                                                                                                                                                                                         cacheTable.put(pk,bean);
                                                        Hashtable cacheTableHash;
public class $$Bean$$Cache
                                                                                                                                                                                                                                                                                                                                                                                                                                      return bean;
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             :
```

-16. 2.

```
Connection connection = getConnection();
String sql = "SELECT $$BeanFieldColumns$$ FROM $$Table$$ WHERE
$$PKFieldColumns$$ = ?";
                                                                                                                                                                                                                                                                                                          Statement statement = connection.preparedStatement(sq1);
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   bean.\$Name\$ = rs.get\$Type\$$(\$$Count\$$);
                                                                                                                                                                                                                                                                                                                                                                                                 statement.set$$Type$$($$Count$$,pk.$$Name$$);
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             ResultSet rs = statement.executeQuery0;
                                                                                                                        $$Bean$$ findBean($$PrimaryKey$$ pk)
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    #$$ foreach $$BeanFields$$
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        bean = new \$\$Bean\$\$0;
                                                                                                                                                                                                                                                                                                                                                                    //$$ foreach $$PKFields$$
public class $$Bean$$Persistence
                                                                                                                                                                                   \$Bean\$ bean = null;
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                //$$ end foreach
                                                            DataSource dataSource;
                                                                                                                                                                                                                                                                                                                                                                                                                                  //$$ end foreach
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        while(rs.next())
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           return bean;
```

F16. 22

```
String transactionID = getTransactionID0;
Hashtable cacheTable = (Hashtable)cacheTableHash.get(transactionID);
OrderBean bean = cacheTable.get(pk);
                                                                                                                                  OrderBean findByPrimaryKey(OrderBeanPrimaryKey pk)
                                                                                                                                                                                                                                                                                                                                                                                       bean = objPersistence.findBean(pk);
cacheTable.put(pk,bean);
                                                       Hashtable cacheTableHash:
OrderBeanPersistence objPersistence;
                                                                                                                                                                                                                                                                                                                          if (bean != null) return bean;
public class OrderBeanCache
                                                                                                                                                                                                                                                                                                                                                                                                                                                     return bean;
```

F1 G. 23

```
public class OrderBeanPersistence
    DataSource dataSource;
    OrderBean findBean(OrderBeanPrimaryKey pk)
        OrderBean bean = null;
        Connection connection = getConnection();
        String sql = "SELECT ID, PRODUCT, QUANTITY FROM ORDERTABLE
WHERE ID = ?";
        Statement statement = connection.preparedStatement(sql);
        statement.setString(1,pk.id);
        statement.setString(2,pk.product);
        statement.setInt(3,pk.quantity);
        ResultSet rs = statement.executeQuery();
        while(rs.next())
            bean = new OrderBean();
            bean.id = rs.getString(1);
            bean.product = rs.getString(2);
            bean.quantity = rs.getInt(3);
        return bean;
}
```

FIG. 24

```
public class ObjectCacheOption 1 extends ObjectCache

Hashtable cacheTableHash;
ObjectPersistence objPersistence;

Object findByPrimaryKey(Object pk, BeanDef beanDef)

String transactionID = getTransactionID0;
Hashtable cacheTable = (Hashtable)cacheTableHash.get(transactionID);
Object bean = cacheTable.get(pk);
if (bean != null) return bean;
if (bean != objPersistence.findBean(pk,beanDef,"findByPrimaryKey");
cacheTable.put(pk,bean);
return bean;

....
```

F1G. 25

```
public class ObjectPersistenceOption1 extends ObjectPersistence
    DataSource dataSource;
    Object findBean(Object pk, BeanDef beanDef, String finderName)
        Object bean = null;
        Connection connection = getConnection();
        String sql = beanDef.getSQL(finderName);
        Statement statement = connection.preparedStatement(sql);
        Enumeration fields = beanDef.getFields();
        while (fields.hasMoreElements())
            FieldDef field = (FieldDef)fields.nextElement();
            setValue(statement, field);
            ResultSet rs = statement.executeQuery();
            while(rs.next())
                bean = beanDef.newInstance();
                fields = beanDef.getFields();
                while (fields.hasMoreElements())
                     FieldDef field = (FieldDef)fields.nextElement();
                     setValue(bean,rs,field);
        return bean;
   void setValue(Object bean, ResultSet, FieldDef field)
        Field f = field.getField();
        switch (field.fieldType)
            case FT_INT:
                f.setInt(bean,rs.getInt(field.getColumn()));
            case FT_LONG:
                f.setLong(bean,rs.getLong(field.getColumn()));
```





FIG. 27



F I G. 28




FIG. 29